Amylostereum areolatum references:

APHIS, 2009. Plant Health. Animal and Plant Health Inspection Service, US Department of Agriculture. http://www.aphis.usda.gov/plant_health/index.shtml

APHIS Plant Protection and Quarantine, 2009. Plant Import. Animal and Plant Health Inspection Service, US Department of Agriculture. http://www.aphis.usda.gov/import_export/plants/plant_imports/index.shtml

Bedding RA, 1995. Biological control of *Sirex noctilio* using the nematode *Deladenus siricidicola*. In: Bedding RA, Akhurst RJ, Kaya H, eds. Nematodes and Biological Control of Insect Pests. Melbourne, Australia: CSIRO, 11–20.

Bergeron MJ, Hamelin RC, Leal I, Davis C, de Groot P, 2008. First report of *Amylostereum areolatum*, the fungal symbiont of *Sirex noctilio* on Pinus spp. in Canada. Plant Disease, 92:1138.

Bi H, Simpson J, Eldridge R, Sullivan S, Li R, Xiao Y, Zhou J, Wu Z, Yan H, Huang Q, Liu Q, 2008. Survey of damaging pests and preliminary assessment of forest health risks to the long term success of *Pinus radiata* introduction in Sichuan, southwest China. Journal of Forestry Research, 19:85-100.

Boidin J, 1958. Heterobasidiomycetes saprophytes et Homobasidiomycetes resupines: V. Essai sur le genre *Stereum* Pers. ex SF Gray. Revue de Mycologie, 23: 318-34.

Boidin J, Lanquetin P, 1984. Le genre *Amylostereum* (Basidiomycetes). Intercompatibilites partielles entre especes allopatriques. Bulletin trimestriel de la Societe Mycologique de France, 100:211-236.

Boroczky K, Crook DJ, Francese JA, Mastro VC, Tumlinson JH, 2009. Chemical ecology of *Sirex noctilio*. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 8-9. . nrs.fs.fed.us/pubs/gtr/gtr_nrs-p-36.pdf.

BPI (US National Fungus Collections), 2009. Fungal Databases – Specimens. Systematic Mycology and Microbiology Laboratory/Agricultural Research Service/USDA. Beltsville, Maryland, USA. www.nt.ars-grin.gov/fungaldatabases/specimens/specimens.cfm. Accessed May 1, 2009.

Breitenbach J, Kranzlin F, 1988. Fungi of Switzerland. Vol. 2. Non-gilled Fungi. Lucerne, Switzerland: Verlag Mykologia.

Burnip CM, Harvey IC, Voice D, Braithwaite M, 2008. New host association for *Sirex noctilio* and *Amylostereum areolatum* on *Cedrus atlantica*. New Zealand Plant Protection, 61:391.

CABI International, 2009. *Sirex noctilio*. Crop Protection Compendium. Wallingford, UK. http://www.cabicompendium.org/cpc. Accessed May 1, 2009.

Canadian Food Inspection Agency, 2008. Invasive Species. Ottawa, Canada: Government of Canada. http://www.inspection.gc.ca/english/plaveg/invenv/invenve.shtml Accessed May 8, 2009.

Cardoso J, Melo I, Telleria MT, 1992. Aphyllophorales of Peneda-Geres National Park (Portugal). Cryptogamic Botany, 2: 395-404.

Carnegie AJ, Eldridge RH, Waterson DG, 2005. History and management of *Sirex* wood wasp in pine plantations in New South Wales, Australia. New Zealand Journal of Forestry Science, 35: 3–24.

Carnegie AJ, Matsuki M, Haugen DA, Hurley BP, Rodrigo Ahumada R, Klasmer P, Sun J, Iede ET, 2006. Predicting the potential distribution of *Sirex noctilio* (Hymenoptera: Siricidae), a significant exotic pest of *Pinus* plantations. Annals of Forest Science, 63:119-128.

Chamuris GP, 1988. The non-stipitate stereoid fungi in the northeastern United States and adjacent Canada. Mycologia Memoir, 14: 1-247.

Ciesla WM, 2003. European woodwasp. A potential threat to North America's conifer forests. Journal of Forestry, 101:18-23.

Coutts MP, 1969. The mechanism of pathogenicity of *Sirex noctilio* on *Pinus radiata*. I. Effects of the symbiotic fungus *Amylosterum* sp. (Thelophoraceae). Australian Journal of Biological Sciences, 22:915-924.

Dodds KJ, 2009. *Sirex noctilio* impacts on native and exotic pine stands in the northeastern United States. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 17-18. nrs.fs.fed.us/pubs/gtr/gtr_nrs-p-36.pdf.

Echeverría NE, 1991. The pine borer wasp, *Sirex noctilio* (Hymenoptera, Siricidae). IFONA Reporter, No. 2:22-23.

Eriksson J, Hjortstam K, Ryvarden L, 1978. The Corticiaceae of North Europe. Vol. 5. *Mycoaciella-Phanerochaete*. Oslo, Norway: Fungiflora, 889-1407.

Evans-Goldner L, Bunce LK, 2009. United States *Sirex* woodwasp program update. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 21. nrs.fs.fed.us/pubs/gtr/gtr_nrs-p-36.pdf

Fukuda H, Hijii N, 1996. Host-tree conditions affecting the oviposition activities of the woodwasp, *Sirex nitobei* Matsumura (Hymenoptera: Siricidae). Journal of Forest Research, 1:177-181.

Gadgil PD, 2005. Fungi of New Zealand. Vol. 4. Fungi on Trees and Shrubs in New Zealand. Hong Kong, China: Fungal Diversity Press. 437 pp.

Gaut IPC, 1969. Identity of the fungal symbiont of *Sirex noctilio*. Australian Journal of Biological Sciences, 22:905-914.

Gilbert JM, Miller LW, 1952. An outbreak of *Sirex noctilio* (F.) in Tasmania. Australian Forestry, 16: 63–69.

Gilbertson, RL, 1984. Relationships between insects and wood-rotting Basidiomycetes. In: Wheeler Q, Blackwell M, eds. Fungus-Insect Relationships. Perspectives in Ecology and Evolution. New York, NY, USA: Columbia University Press. 514 pp.

Gilmour JW, 1965. The life cycle of the fungal symbiont of *Sirex noctilio*. New Zealand Journal of Forestry, 10:80-80.

Hansen L, Knudsen H, 1997. Nordic Macromycetes. Vol. 3. Heterobasidioid, aphyllophoroid and gastromycetoid basidiomycetes. Copenhagen. Denmark: Nordsvamp. 444 pp.

Haugen DA, 2006. *Sirex noctilio*. Exotic Forest Pest Information System for North America. Forest Service, USDA. http://spfnic.fs.fed.us/exfor/data/pestreports.cfm?pestidval=33&langdisplay=English. Accessed May 5, 2009.

Hood IA, 1992. An illustrated guide to fungi on wood in New Zealand. Auckland NZ: Auckland University Press. 424 pp.

Iede ET, Penteado Sdo RC, Bisol JC, 1988. First record of *Sirex noctilio* attacking *Pinus taeda* in Brazil. Circular Técnica - Centro Nacional de Pesquisa de Florestas, No. 20: ii + 12 pp.

ISSG, 2008. Global Invasive Species Database (GISD). University of Auckland, New Zealand. http://www.issg.org/database. Accessed May 7, 2009.

Jahn H,1979. Pilze die an Holz wachsen. Herford, Germany: Bussesche Verlagshandlung, 268 pp.

King JM, 1966. Some aspects of the biology of the fungal symbiont of *Sirex noctilio*. Australian Journal of Botany, 14:25-30.

Kirk PM, Cannnon PF, Minter DW, Stalpers JA, 2008. Dictionary of the Fungi. Wallingford, United Kingdom: CABI International, 771 pp.

Klepzig KD, Slippers B, Wingfield MJ, 2009. Competition between fungi associated with *Sirex* woodwasp and Southern Pine Beetle. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 39. nrs.fs.fed.us/pubs/gtr/gtr_nrs-p-36.pdf

Kobayashi T, 2007. Index of Fungi Inhabiting Woody Plants in Japan. Host, Distribution and Literature. Tokyo, Japan: Zenkoku-Noson-Kyiku Kyokai Publishing Co., Ltd., 1227 pages.

Kobayashi T, Sasaki K, Enda N, 1978. Correlation between *Sirex nitobei* and *Amylostereum areolatum*, associated with death of Japanese pine trees during winter season. Journal of the Japanese Forestry Society, 60:405-411.

Luszczynski J, 1997. Interesting macromycetes found in Kielce town (Central Poland). Acta Mycologica, 32:207-228.

Madden JL, 1981. Egg and larval development in the woodwasp *Sirex noctilio* F. Australian Journal of Zoology, 29:493-506.

Martinez AS, Fernandez-Arhex V, Corley JC, 2006. Chemical information from the fungus *Amylostereum areolatum* and host-foraging behaviour in the parasitoid *Ibalia leucospoides*. Physiological Entomology, 31:336-340.

Neumann FG, Marks GC, 1990. Status and management of insect pests and diseases in Victorian softwood plantations. Australian Forestry, 53:131- 144.

Rawlings GB, 1955. Epidemics in *Pinus radiata* forests in New Zealand. New Zealand Journal of Forestry, 7:53-55.

Rebuffo S, 1990. La "Avispa de la Madera" *Sirex noctilio* F. en el Uruguay. Montevideo: Dir. For., 1-17.

Schiff NM, 2008. *Sirex noctilio:* overview of biology and control. APHIS, US Department of Agriculture. http://www.aphis.usda.gov/plant_health/plant_pest_info/sirex/downloads/presentations/schiff.pdf Accessed May 7,2009.

Shields L, 2009. Update on *Sirex noctilio* in Canada. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 69.

Slippers B, Wingfield MJ, Wingfield BD, Coutinho TA, 2000. Relationships among *Amylostereum* species associated with siricid woodwasps inferred from mitochondrial ribosomal DNA sequences. Mycologia, 92:955-963.

Slippers B, Wingfield MJ, Coutinho TA, Wingfield BD, 2001. Population structure and possible origin of *Amylostereum areolatum* in South Africa. Plant Pathology, 50: 206-210.

Slippers B, Wingfield BD, Coutinho TA, Wingfield MJ, 2002. DNA sequence and RFLP data reflect geographical spread and relationships of *Amylostereum areolatum* and its insect vectors. Molecular Ecology, 11: 1845-1854.

Spradbery JP, Kirk AA, 1978. Aspects of the ecology of siricid woodwasps (Hymenoptera: Siricidae) in Europe, North Africa and Turkey with special reference to the biological control of *Sirex noctilio* F. in Australia. Bulletin of Entomological Research, 68:341-359.

Stalpers JA, 1978. Identification of wood-inhabiting fungi in pure culture. Studies in Mycology, 16: 1-248.

Tabata M, Abe Y, 1997. *Amylostereum laevigatum* associated with the Japanese horntail, *Urocerus japonicus.* Mycoscience 38:421-427.

Tabata M, Harrington TC, Chen W, Abe Y. 2000 Molecular phylogeny of species in the genera *Amylostereum* and *Echinodontium.* Mycoscience, 41: 585-593.

Talbot PHB, 1977. The *Sirex-Amylostereum-Pinus* association. Annual Review of Phytopathology, 15:41-54.

Thomsen IM, 1998. Characters of fruitbodies, basidiospores and cultures useful for recognizing *Amylostereum areolatum* and *A. chailletii.* Mycotaxon, 69: 419-428.

Thomsen IM, Koch J, 1999. Somatic compatibility in *Amylostereum areolatum* and *A. chailletii* as a consequence of symbiosis with siricid woodwasps. Mycological Research, 103:817-823.

Tribe GD, 1995. The woodwasp *Sirex noctilio* Fabricius (Hymenoptera: Siricidae), a pest of *Pinus* species, now established in South Africa. African Entomology, 3:215-217.

Tribe GD, Cillie JJ, 2004. The spread of *Sirex noctilio* Fabricius (*Hymenoptera: Siricidae*) in South African pine plantations and the introduction and establishment of its biological control agents. African Entomology, 12: 9–17.

Vasiliauskas R, Johansson M, Stenlid J, 1999. Molecular relationships within the genus *Amylostereum* as determined by internal transcribed space sequences of the ribosomal DNA. Mycotaxon, 71:155-171.

Vasiliauskas R, Stenlid J, 1999. Vegetative compatibility groups of *Amylostereum areolatum* and *A. chailletii* from Sweden and Lithuania. Mycological Research, 103:824-829.

Vasiliauskas R, Stenlid J, Johansson M, 1996. Fungi in bark-peeling wounds of *Picea abies* in central Sweden. European Journal of Forest Pathology, 26: 285 – 296.

Vasiliauskas R, Stenlid J, Thomsen IM, 1998. Clonality and genetic variation in *Amylostereum areolatum* and *A. chailletii* from northern Europe. New Phytologist, 139:751-758.

Webber JF, Gibbs JN, 1989. Insect dissemination of fungal pathogens of trees. In: Wilding N, Collins NM, Hammond PM, Webber JF, eds. Insect-Fungus Interactions. London, UK: Academic Press Ltd., 161-190.

Williams DW, Mastro V, 2009. Evaluation of *Beddingia siricidicola* as a biological control agent of *Sirex noctilio* in North America. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 21. nrs.fs.fed.us/pubs/gtr/gtr_nrs-p-36.pdf

Wilson AD, Schiff NM, Haugen DA, Hoebeke ER, 2009. First report of *Amylostereum areolatum* in pines in the United States. Plant Disease, 93: 109.

Yemshanov D, McKenney DW, deGroot P, Haugen D, Sidders D, Joss B, 2009. An assessment of *Sirex noctilio* spread and potential impacts on pine wood supply and harvests in eastern Canada. (Abstract). In: US Department of Agriculture Interagency Research Forum on Invasive Species 2008. Newtown Square, Pennsylvania, USA: Forest Service USDA, 88-90. nrs.fs.fed.us/pubs/gtr/gtr_nrs-p-36.pdf

Zhang, X-Q, 2005. Basidiomycetes. I. Cantharellales, Hymenochaetales, Polyporales, Thelephorales and other aphyllophoralean fungi. In: Zhuang Wenying, ed. Fungi of Northwestern China. Ithaca, U.S.A: Mycotaxon Ltd., 305-321.