Lachnellula willkommii references:

Baral HO, 1984. Taxonomische und okologische studien uber die koniferen bewohnenden europaischen arten der gattung Lachnellula Karsten. Beitrage zur Kenntnis der Pilze Mitteleuropas, 1: 143-156.

Blanchette J-Y, 2001. Microscopic observations of the early stages of the infection process by Lachnellula willkommii (Hartig) Dennis artificially inoculated on larch (Larix laricina (Du Roi) K. Koch) seedlings. DPhil Thesis. Fredericton, Canada: The University of New Brunswick.

BPI (US National Fungus Collections), 2009. Fungal Databases – Specimens. Systematic Mycology and Microbiology Laboratory/Agricultural Research Service/USDA. Beltsville, Maryland, USA. www.nt.ars-grin.gov/fungaldatabases/specimens/specimens.cfm

Buczacki ST, 1975. *Trichoscyphella willkommii.* CMI Descriptions of Pathogenic Fungi and Bacteria, 450:1-2.

Bujakiewicz A, 1979. Fungi of Mt. Babca Eastern. I. Mycoflora of forests. Acta Mycologica, 15:213-294.

Canadian Food Inspection Agency, 2008. Ottawa, Canada: Government of Canada. http://www.inspection.gc.ca/

Chen M-M, 2002. Forest fungi phytogeography: Forest Fungi Phytogeography of China, North America, and Siberia and International Quarantine of Tree Pathogens. Sacramento, California: Pacific Mushroom Research and Education Center.

Commonwealth Mycological Institute, 1989. *Lachnellula willkommii.* Distribution Maps of Plant Diseases, 614:1-2.

Dennis RWG, 1962. A reassessment of Belonidium Mont. & Dur. Persoonia, 2:171-191.

Dudka IO, Heluta VP, Tykhonenko YY, Andrianova TV, Hayova VP, Prydiuk MP, Dzhagan VV, Isikov VP, 2004. Fungi of the Crimean Peninsula. Kiev, Ukraine :M.G. Kholodny Institute of Botany, National Academy of Sciences of Ukraine, 452 pages.

European and Mediterranean Plant Protection Organization, 2000. Report of EPPO Forestry Project: Forest pests on the territories of the former USSR. Paris, France.
http://www.eppo.org/QUARANTINE/forestry_project/EPPOforestry_project.pdf

Hahn GG, Ayers TT, 1936. The European larch canker and its relation to certain other cankers of conifers in the United States. Journal of Forestry, 34:898-908.

Hahn GG, Ayers TT, 1943. Role of Dasyscyphus willkommii and related fungi in the production of canker and dieback of larches. Journal of Forestry, 41:483-495.

Hilton S, ed., 2000. Canadian Plant Disease Survey. Agriculture and Agri-Food Canada, 80:151.

Ito K, Zinno Y, Kobayashi T, 1963. Larch canker in Japan. Bulletin of the Government Forest Experiment Station, Tokyo, 155:23-47.

Jacques Dominique, 2003. Amelioration du module de l'elasticite du bois de meleze hybride (Larix ×eurolepis Henry) par selection clonale. Diss. B-5030, Gembloux. Faculte Universitaire des Sciences Agronomiques de Gembloux, Belgique.

Karadzic D, 1989. The most frequent fungi occurring in plantations larch, scots pine and Macedonian pine on Kopaonik. Zastita Bilja, 40:309-317.

Kobayashi T, 1970. An evidence that the larch canker fungus is native in Japan. Phytopathologische Zeitschrift, 69: 366-368.

Kobayashi T, 2007. Index of Fungi Inhabiting Woody Plants in Japan. Host, Distribution and Literature. Tokyo, Japan: Zenkoku-Noson-Kyiku Kyokai Publishing Co., Ltd., 1227 pages.

Magasi LP, Pond SE, 1982. European larch canker: a new disease in Canada and a new North American host record. Plant Disease, 66:339-340.

Miller-Weeks M, Stark D, 1983. European larch canker in Maine. Plant Disease, 67:448.

Minter DW, 2005. IMI Descriptions of Pathogenic Bacteria and Fungi. Nos. 1641 – 1650.

Muskett A, Malone J, 1983. Catalogue of Irish fungi - IV. Ascomycotina. Proceedings of the Royal Irish Academy, 83:151-213.

Oguchi T. 1981. Studies on the species of Lachnellula in Hokkaido: their morphology, physiology and pathogenicity. Bulletin of the Hokkaido Forest Experiment Station, 19:189-238.

Ostaff DP, 1985. Age distribution of European larch canker in New Brunswick. Plant Disease, 69:796-798.

Roll-Hansen F, 1992. Important pathogenic fungi on conifers in Iceland. Acta Botanica Islandica, 11: 9-12.

Schmid-Heckel H, 1988. Pilze in den Berchtesgadener Alpen. Forschungsberichte Nationalpark Berchtesgaden, 15: 1-136.

Simpson RA, Harrison KJ, 1993. First report of European larch canker on Prince Edward Island, Canada. Plant Disease, 77:1264.

Sinclair WA, Lyon H, 2005. Diseases of Trees and Shrubs. Ithaca, New York: Cornell University Press. Second edition.

Spaulding P, 1961. Foreign Diseases of Forest Trees of the World. USDA Agricultural Handbook 197. Washington, D.C.: United States Government Printing Office.

Sylvestre-Guinot G, 1981. Etude de l'émission des ascospores du Lachnellula willkommii (Hartig) Dennis dans l'Est de la France. European Journal of Forest Pathology, 11: 275–283.

Sylvestre-Guinot G, Delatour C, 1983. Possibilites d'appreciation de la sensibilite du genre Larix au *Lachnellula wilkommii* (Hartig) Dennis par inoculations artificielles. Annales de Science Forestiere, 40:337-354.

Tegethoff AC, 1965. Resurvey for European larch canker in Essex County, Massachusetts, 1965. Plant Disease Reporter, 49:834-835.

The Nature Conservancy, 2009. The Global Invasives Species Team. Davis, California, USA. University of California. http:// tncinvasives.ucdavis.edu

USDA/APHIS, 2009. Animal and Plant Health Inspection Service. Washington, D.C., USA. United States Department of Agriculture. http://www.aphis.usda.gov/

Yde-Anderson A, 1979a. Host spectrum, host morphology and geographic distribution of larch canker, Lachnellula willkommii. A literature review. European Journal of Forest Pathology, 9: 211-219.

Yde-Anderson A, 1979b. Disease symptoms, taxonomy and morphology of Lachnellula willkommii. European Journal of Forest Pathology, 9: 220-228.

Yde-Anderson A, 1980. Infection process and the influence of frost damage in Lachnellula willkommii. European Journal of Forest Pathology, 10: 28-36.