

### Diaporthe vexans references

- Abu-Yaman IK, Abu Blan HA, 1972. Major diseases of cultivated crops in central Province of Saudi Arabia. Diseases of vegetables. Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz, 79:227-231.
- Ali MS, Saikia UN, 1993. Coelomycetes of Assam - II. Indian Phytopathology, 46:224-229.
- Arnold GRW, 1986. Lista de Hongos Fitopatogenos de Cuba. Havana, Cuba: Ministerio de Cultura Editorial Cientifico-Tecnica, 207 pp.
- Benjamin CR, Slot A, 1969. Fungi of Haiti. Sydowia, 23:125-163.
- Beura SK, Mahanta IC, Mohapatra KB, 2008. Economics and chemical control of *Phomopsis* twig blight and fruit rot of brinjal. Journal of Mycopathological Research, 46:73-76.
- Blain WL, 1931. A list of diseases of economic plants in Alabama. Mycologia, 23:300-304.
- Boerema GH, De Gruyter J, Noordeloos ME, Hamers, MEC, 2004. *Phoma* identification manual: differentiation of specific and infra-specific taxa in culture. Wallingford, UK: CABI Publishing, 470 pp.
- Bourne BA, 1923. Report of the Assistant Director of Agriculture on the entomological & mycological work carried out during the period 1922-23. Review Report Department of Agriculture, Barbados 1922-23:7-9.
- BPI, (US National Fungus Collections), 2009. Fungal Databases – Specimens. Systematic Mycology and Microbiology Laboratory/Agricultural Research Service/USDA. Beltsville, Maryland, USA.  
[www.nt.ars.grin.gov/fungaldatabases/specimens/specimens.cfm](http://www.nt.ars.grin.gov/fungaldatabases/specimens/specimens.cfm).  
Accessed October 27, 2009.
- Bugnicourt F, Cohic F, Dadant R, 1951. A catalogue of the animal and plant parasites of the cultivated plants of New Caledonia. Nouméa, New Caledonia: Institut Frantais d'Océanie.
- Chardon CE, Toro RA, 1930. Mycological explorations of Colombia. Journal of the Department of Agriculture of Porto Rico, 14: 195-369.
- Chardon CE, Toro RA, 1934. Mycological Explorations of Venezuela. Monograph. University of Puerto Rico, B 2:1-351.

Chaudhary SR, Hasija SK, 1979. Phytopathological studies on *Phomopsis vexans* causing soft rot of brinjal fruits. Indian Phytopathology, 32:495-496.

Cho WD, Shin HD, Eds. 2004. List of plant diseases in Korea. Fourth edition. Seoul, Republic of Korea: Korean Society of Plant Pathology, 779 pp.

Chupp C, Sherf AF, 1960. Vegetable diseases and their control. New York, USA: The Ronald Press Company, 693 pp.

Ciferri R, 1961. Mycoflora Domingensis Integrata. Quaderno, 19:1-539.

CMI, 1987. Distribution maps of plant-diseases, No. 329. Edition 4. Wallingford UK: CAB International.

Crous PW, Phillips AJL, Baxter AP, 2000. Phytopathogenic Fungi from South Africa. University of Stellenbosch, Department of Plant Pathology Press, 358 pp.

Dal Bello G, Sisterna M, 2000. First report of *Phomopsis vexans* on apricot in the Americas. Plant Disease, 84:596.

Das SR, 1995. Bioefficacy and economics of fungicidal control of *Phomopsis* leaf blight/fruit rot of brinjal in Orissa. Orissa Journal of Horticulture, 23:9-12.

Datar VV, Ashtaputre JU, 1988. Studies on resistance to *Phomopsis* fruit rot in eggplant. Indian Phytopathology, 41:637-638.

Decker P, 1946. Annual Report of the Agriculture Experiment Station, Florida, for the year ending June 30, 1945.

Decker P, 1947. Annual Report of the Agriculture Experiment Station, Florida, for the year ending June 30, 1946. No. 206. Florida, USA.

Decker P, 1948. Annual Report of the Agriculture Experiment Station, Florida, for the year ending June 1947.

Decker P, 1949. Annual Report of the Agriculture Experiment Station, Florida, for the year ending June 1948, 280.

Defigueiredo ER, Pereira HF, 1944. Uma doenca grave da Berinjela causada por *Phomopsis vexans* (A serious eggplant disease caused by *Phomopsis vexans*). Biologico, 10:349-352.

- Divinagracia GC, 1968. Pycnidial production by *Diaporthe vexans* (Sacc & Syd.) Gratz and the pathological history of infected stem and leaves of eggplant. *Plant Disease Abstract*, 29:836-837.
- Divinagracia GC, 1969. Some factors affecting pycnidial production of *Phomopsis vexans* in culture. *Philippines Journal of Agriculture*, 53:173.
- Dubey RC, Kumar Pandey G, Mishra RC, Dwivedi RS, 1987. Stem blight and fruit rot of *Solanum incanum* caused by *Phomopsis vexans* - a new record. *Proceedings of the Indian Academy of Science Section B*, 57:197-198.
- Edgerton CW, Moreland CC, 1921. Eggplant blight. *Louisiana Agricultural Experiment Station Bulletin*, 178:1-44.
- EPPO, 2000. EPPO Summary of the phytosanitary regulations of Jordan. European and Mediterranean Plant Protection Organization. [http://www.eppo.org/ABOUT\\_EPPO/EPPO\\_MEMBERS/phytoreg/summaries/SUE-JO-00.doc](http://www.eppo.org/ABOUT_EPPO/EPPO_MEMBERS/phytoreg/summaries/SUE-JO-00.doc)
- Felix S, Lallmahomed GM, Orioux L, 1965. Eggplant wilt *Diaporthe vexans* (Saccardo and Sydow) Gratz in Mauritius. *Revue Agricole Sucre Ile Maurice*, 44:182-186.
- Gilman JC, Archer WA, 1929. The fungi of Iowa parasitic on plants. *Iowa State College Journal of Science*, 3:299-507.
- Grand LF, Ed., 1985. North Carolina Plant Disease Index. *North Carolina Agricultural Research Service Technical Bulletin*, 240:1-157.
- Gratz LO, 1942. The perfect stage of *Phomopsis vexans*. *Phytopathology*, 32:540-542.
- Grewal RK, Jhooty JS, 1987. Control of *Phomopsis* fruit rot of egg plant with different fungicides. *Indian Phytopathology*, 40:263-264.
- Guo YL, 2005. Anamorphic fungi. In: *Fungi of northwestern China*. Zhuang, W.-Y., Ed. Ithaca, New York, USA :Mycotaxon, Ltd., 125-232.
- Halsted BD, 1892. Some fungous diseases of the eggplant. *New Jersey Agricultural Experiment Station Twelfth Annual Report*, 1891:277-283.
- Harter LL, 1914. Fruit-rot, leaf-spot, and stem-blight of the eggplant caused by *Phomopsis vexans*. *Journal of Agricultural*

Research, **2**:331-338.

Hasija SK, Chowdhury SR, 1980. Nutritional physiology of *Phomopsis vexans*. Acta Botanica Indica, 8:175-183.

Howard FL, Desrosiers R, 1941. Studies on the resistance of eggplant varieties to *Phomopsis* blight. Proceedings of the American Society of Horticultural Science, 39:387-340.

Islam SJ, Pan S, 1989. Chemical control of leaf blight and fruit rot of brinjal caused by *Phomopsis vexans*. Indian Journal of Mycological Research, 27:159-163.

Islam SJ, Pan S, 1990a. Variabilities among isolates of *Phomopsis vexans*. Environment and Ecology, 8:315-319.

Islam SK, Pan S, 1990b. Effect of humidity and temperature on *Phomopsis* fruit rot of brinjal *Solanum melongena*. Environment and Ecology, 8:1309-1310.

Islam SJ, Pan S, 1992. Functional relationship of *Phomopsis* leaf blight of eggplant with environmental factors and a linear model for predicting the disease. Indian Phytopathology, 45:199-202.

Islam SJ, Pan S, 1993. Economics of fungicidal control of *Phomopsis* leaf blight of eggplant. Indian Phytopathology, 46:383-388.

Jacqua G, Gerion AL, 1988. *Corynespora cassiicola* and *Phomopsis vexans* in aubergine crops. Bulletin Agronomique Antilles-Guyane, No. 7:39-43.

Kalda TS, Swarup V, Choudhury B, 1976. Studies on resistance to *Phomopsis* blight in eggplant (*Solanum melongena* L.). Vegetable Science, 3:65-70.

Kaushal N, Sugha SK, 1995. Role of *Phomopsis vexans* in damping off of seedlings in eggplant and its control. Indian Journal of Mycology and Plant Pathology, 25:189-191.

Kuprashvili TD, 1996. The use of phytoncides for seed treatment. Zashchita i Karantin Rastenii, No. 5:31.

Lapis DB, Deangkinay MT, 1967. Factors affecting growth and sporulation of *Phomopsis vexans* Harter. Philippines Journal of

Agriculture, 50:276-288.

Liu XM, 1998. Studies on resistant inheritance of *Solanum melongena* L. to Phomopsis rot. Journal of Jilin Agricultural University, 20:1-7.

Lu B, Hyde KD, Ho WH, Tsui KM, Taylor JE, Wong KM, Yanna, and Zhou D, 2000. Checklist of Hong Kong Fungi. Hong Kong, China: Fungal Diversity Press, 207 pp.

Luo L, Xi P, Jiang Z, Qi P-K, 2004. Taxonomic significance of conidial formation of *Phomopsis* in pure culture. Mycosystema, 23:375-380.

Manna BK, Jash S, Srikanta Das, Das SN, 2004. Effects of environmental factors on Phomopsis blight of brinjal and its management. Annals of Plant Protection Sciences, 12:229-231.

Martin WH, 1928. Report of Department of Plant Pathology, Annual Report New Jersey Agricultural Experiment Station for the year ending June 30, 1927, 48:205-238.

Martin WH, 1930. Plant Pathology. Annual Report New Jersey Agricultural Experiment Station for the year ending June 30, 1930, 44:235-254.

Martin WH, 1934. Plant Pathology. Annual Report New Jersey Agricultural Experiment Station for the year ending June 30, 1933, 57-66.

Masuduzzaman S, Meah MB, Rashid MM, 2008. Determination of inhibitory action of Allamanda leaf extracts against some important plant pathogens. Journal of Agriculture and Rural Development, 6:107-112.

Mathur RS, 1979. The Coelomycetes of India. Delhi, India: Bishen Singh Mahendra Pal Singh, 460 pp.

McGuire Jr. JU, Crandall BS, 1967. Survey of insect pests and plant diseases of selected food crops of Mexico, Central America and Panama. International Agriculture Development Service, Agricultural Research Service, US Department of Agriculture, Washington, D.C., USA, 157 pp.

Meurant N, Hojmark-Anderson J, Loughrey T, 1999. Growing eggplants in Queensland. Brisbane, Australia: Department of Primary Industries, Queensland, 28 pp.

- Mohanty AK, Panda RN, Sethy PN, Kar AK, 1994. Efficacy of certain fungicides in controlling *Phomopsis vexans* causing fruit rot of brinjal. Orissa Journal of Agricultural Research, 7 (Supplementary):85-86.
- Muller AS, 1950. A preliminary survey of plant diseases in Guatemala. Plant Disease Reporter, 34:161-164.
- NCBI, 2009. Entrez cross-database search engine. National Center for Biotechnology Information, U.S. National Library of Medicine, Bethesda, Maryland, USA. <http://www.ncbi.nlm.nih.gov/sites/gquery>. Accessed October 30, 2009.
- Nolla JAB, 1929. The eggplant blight and fruit rot in Porto Rico. Journal of the Department of Agriculture of Porto Rico, 13:35-57.
- Ogilvie L, 1924. Preliminary Report of the Plant Pathologist for the period Sept. 27th to Dec. 31st, 1923. Bermuda: Report Board and Department of Agriculture.
- Orian G, 1951. Division of plant pathology. Report of the Department of Agriculture, Mauritius, 1949:66-72; 1950:80-85.
- Palo MA, 1938. Eggplant diseases and their control. Philippines Journal of Agriculture, 9:403-414.
- Pan S, Acharya S, 1995. Studies on the seed borne nature of *Phomopsis vexans* (Sacc. and Syd.) Harter. Indian Agriculturist, 39:193-198.
- Panda RN, Tripathy SK, Kar J, Mohanty AK, 1996. Antifungal efficacy of homeopathic drugs and leaf extracts in brinjal. Environment and Ecology, 14:292-294.
- Pandey KK, Pandey PK, Kalloo G, Chaurasia SNS, 2002. Phomopsis blight in brinjal and sources of resistance, Indian Phytopathology, 55:507-509.
- Panwar NS, Chand JN, 1968. Cultural characters and pathogenicity of three isolates of *Phomopsis vexans* (Sacc & Syd.) Harter. Indian Journal of Microbiology, 8:203-205.
- Panwar NS, Chand JN, Singh H, Paracer S, 1970. Phomopsis fruit rot of brinjal (*Solanum melongena* L.) in Punjab. I. Variability of fungus and role of seed in disease development. Ludhiana Journal of Agriculture, 7:641-643.

Parris GK, 1959. A revised host index of Mississippi plant diseases. Mississippi State University, Botany Department Miscellaneous Publication, 1:1-146.

Paul YS, Bhardwaj LN, Sharma RC, 1990. Additions to fungi of Himachal Pradesh. II (Sphaeropsidales). Indian Journal of Mycology and Plant Pathology, 20:194-196.

Pawar VH, Patel MK, 1957. Phomopsis blight and fruit rot of brinjal. Indian Phytopathology, 10:115-120.

Peregrine WTH, Ahmad KB, 1982. Brunei: A first annotated list of plant diseases and associated organisms. Phytopathological Papers, 27:1-87.

Piepenbring M, 2006. Checklist of fungi in Panama. Preliminary version. Puente Biologica, 1:1-190.

Porter RP, 1943. Seedborne inoculum of *Phomopsis vexans* - its extent and effects. Plant Disease Reporter, 27:167-169.

Prance G, Nesbitt M, eds., 2005. The Cultural history of plants New York. New York, USA: Routledge, 452 pp.

Preston DA, 1945. Host index of Oklahoma plant diseases. Oklahoma Agricultural College, Agriculture Experiment Station Technical Bulletin, T-21:1-168.

Punithalingam E, Holliday P, 1972. *Phomopsis vexans*. CMI Descriptions of Pathogenic Fungi and Bacteria, 338: 1-2.

Raabe RD, Connors IL, Martinez AP, 1981. Checklist of plant diseases in Hawaii. College of Tropical Agriculture and Human Resources, University of Hawaii. Information Text Series No. 22. Hawaii Institute of Tropical Agriculture and Human Resources, 313 pp.

Rehner SA, Uecker FA, 1994. Nuclear ribosomal internal transcribed spacer phylogeny and host diversity in the coelomycete *Phomopsis*. Canadian Journal of Botany, 72:1666-1674.

Reifschneider FJB, Madeira MCB, Silva C, 1993. "Cica" novo híbrido de berinjela resistente a antracnose e a podridão-de-fomopsis. Horticultura Brasileira, 11:57.

Ren XL, Zhang HQ, 1993. Test on brinjal (*Solanum melongena* L.) resisting to Phomopsis rot. Journal of Jilin Agricultural University, 15:34-39, 102.

Riley EA, 1960. A revised list of plant diseases in Tanganyika Territory. Mycological Papers, 75:1-42.

Saccardo PA, Sydow P, 1899. *Phoma vexans*. Sylloge Fungorum, 14:889.

Sawada K, 1959. Descriptive catalogue of Taiwan (Formosan) fungi. XI. Special Publications College of Agriculture, National Taiwan University, 8:1-268.

Schlub R, Yudin L, 2002. Eggplant, pepper, and tomato production guide for Guam. Mangilao, Guam: Guam Cooperative Extension, College of Agriculture and Life Sciences, University of Guam, 188 pp.

Sherf AF, McNab AA, 1986. Vegetable Diseases and their Control. Second edition. New York, New York, USA: John Wiley and Sons, 728 pp.

Shishido M, Yoshida N, Usami T, Shinozaki T, Kobayashi M, Takeuchi T, 2006. Black root rot of cucurbits caused by *Phomopsis sclerotioides* in Japan and phylogenetic grouping of the pathogen. Journal of General Plant Pathology, 72: 220-227.

Simmonds JH, 1966. Host index of plant diseases in Queensland. Queensland Department of Primary Industries, Brisbane: 111.

Singh D, Chakrabarti AK, 1982. Chemical control of *Phomopsis* fruit rot of brinjal. Indian Phytopathology, 35:314-315. ‘

Singh H, Chand JN, 1986. Factors affecting growth and production of pycnidia by *Phomopsis vexans* causing fruit rot of brinjal. Indian Journal of Mycology and Plant Pathology, 16:207-208.

Singh RS, 1987. Plant Pathogens. Second edition. New Delhi, India: Oxford and IBH Publishing Company.

Smith CO, 1905. Study of the diseases of some truck crops of Delaware. Delaware Agricultural Experiment Station Bulletin, 70:16.

Smith FEV, 1937. Report of the Plant Pathologist, Report Department of Science and Agriculture, Jamaica, 1936:47-55.

Smith IM, Dunez J, Lelliott RA, Phillips DH, Archer SA, 1988. European Handbook of Plant Diseases. Oxford, UK: Blackwell Scientific Publications, 583 pp.

- Spegazzini C, 1881. Nova addenda ad mycologiam. Venetam. Atti, Soc. Crittog. Ital., Ann 24:42-71.
- Stevenson JA, 1975. Fungi of Puerto Rico and the American Virgin Islands. Contributions of the Reed Herbarium, 23:1-743.
- Sugha SK, Kumar S, 2003. Effect of fertilizers on phomopsis blight disease (*Phomopsis vexans*) of brinjal (*Solanum melongena*). Indian Journal of Agricultural Sciences, 73:32-34
- Sugha SK, Kumar S, 2004. Sensitivity of different strains of *Phomopsis vexans* to selected fungicides. Journal of Mycology and Plant Pathology, 34:100-101.
- Tai FL, 1979. Sylloge Fungorum Sinicorum. Beijing, China: Science Press Academica Sinica, 1527 pp.
- Teng SC, 1996. Fungi of China. Ithaca, New York, USA: Mycotaxon, Ltd., 586 pages.
- Teo CH, 1982. Plant Pathology. Brinjal (*Solanum melongena*). Annual Report of the Research Branch, Department of Agriculture, Sarawak, for the year 1980, 240.
- Teo CH, 1984. Plant pathology. Brinjal. Annual Report of the Research Branch, Department of Agriculture, Sarawak, for the year 1982, 280-281.
- Thaug MM, 2008. Biodiversity survey of coelomycetes in Burma. Australasian Mycology, 27:74-110.
- Thippeswamy B, Krishnappa M, Chakravarthy CN, Sathisha AM, Jyothi SU, Vasantha Kumar K, 2006. Pathogenicity and management of phomopsis blight and leaf spot in brinjal caused by *Phomopsis vexans* and *Alternaria solani*. Indian Phytopathology, 59:475-481.
- Thompson A, Johnston A, 1953. A host list of plant diseases in Malaya. Mycological Papers, 52:1-38.
- Toole EH, Wester RE, Toole VK, 1941. The effect of fruit rot of eggplant on seed germination. Proceedings of the American Society of Horticultural Science, 38:496-498.
- Uecker FA, 1988. A World List of Phomopsis Names with notes on Nomenclature, Morphology and Biology. Mycologia Memoir, No. 13. Berlin, Germany: Cramer Publisher, 231 pp`.

USDA-ARS, 2009. Germplasm Resources Information Network (GRIN). Online Database. National Germplasm Resources Laboratory, Beltsville, Maryland, USA. [http://www.ars-grin.gov/cgi-bin/npgs/html/tax\\_search.pl](http://www.ars-grin.gov/cgi-bin/npgs/html/tax_search.pl). Accessed October 15, 2009.

Verma VS, Khan AM, 1965. Fungi associated with sorghum seeds. *Mycopathologia et Mycologia Applicata*, 27:314-320.

Vishunavat K, Kumar S, 1993. Detection and transmission of seedborne inoculum of *Phomopsis vexans* (Sacc. & Syd.) Harter. and the effect of infection on seed quality in egg plant (*Solanum melongena* L.). *Seed Research*, 21:66-71.

Vishunavat K, Kumar S, 1994. Location of infection of *Phomopsis vexans* in brinjal seeds. *Indian Journal of Mycology and Plant Pathology*, 24:226.

Voglino P, 1907. Intorno ad un parassita dannoco al *Solanum melongena*. *Malpighia*, 21:353-363.